

Web Images Videos Maps News Shopping Gmail more ▼

[Web History](#) | [Search settings](#) | [Sign in](#)

Google

Google

("bridging firewall" OR "transparent firewall") AND ("data link" OR "layer 2") 2002

Search

[Advanced Search](#)



Web

Results 1 - 10 of about 759 for ("bridging firewall" OR "transparent firewall") AND ("data link" OR "layer 2") 2002. (0.21 seconds)



[Show options...](#)

1. [What's New in Cisco PIX Firewall 7.0 > What's New in Cisco PIX ...](#)

Jun 10, 2005 ... **Transparent Firewall** Mode PIX firewalls have always operated on IP ... Transparent mode makes the firewall act more like a **Layer 2** bridge, where packets are handled by MAC addresses. .... By Earl Carter; Feb 15, **2002** ...  
[www.ciscopress.com > ... > Network Technology > Security - Cached - Similar](#)

2. [Re: "transparent" firewall possible?](#)

Feb 8, 2002 ... That where the **layer 2** firewall comes in handy. Matt. ... February 08, **2002** 6:04 PM Subject: Re: "**transparent**" firewall possible? also ...  
[www.mail-archive.com/debian-isp@lists.debian.../msg05320.html - Cached](#)

3. [Re: "transparent" firewall possible?](#)

Re: "**transparent**" firewall possible? martin f krafft. Sun, 10 Feb **2002** 10:05:50 - 0600 ... That where the **layer > 2** firewall comes in handy. SNAT/DNAT. ...  
[www.mail-archive.com/debian-isp@lists.debian.../msg20605.html - Cached](#)



[Show more results from www.mail-archive.com](#)

4. [Stealth Firewall, IDS, and syslog server? - LinuxQuestions.org](#)

9 posts - 3 authors - Last post: Nov 8, 2003

Apparently you can't have a **transparent firewall** if your going to be using NAT. ... How can you use NAT with what is essentially a **layer-2** device? ... and of course that would defeat the purpose of being a **bridging firewall**. .... GUI Firewall/IDS, netmatrix0, Linux - Security, 7, 12-07-**2002** 10:18 PM ...  
[www.linuxquestions.org/.../stealth-firewall-ids-and-syslog-server-113618/ - Cached](#)

5. [ebtables/iptables interaction on a Linux-based bridge](#)

Nov 9, 2003 ... Getting a **bridging firewall** on a 2.4.x kernel consists of patching the ...  
so the OSI **layer 2** (**Data link** layer), or layer 1 (Link layer, ...  
[ebtables.sourceforge.net/br\\_fw\\_la/br\\_fw\\_la.html](#) - [Cached](#) - [Similar](#)

6. [articles:bridging firewall \[LUG @ UD\]](#)

Jun 21, 2008 ... Greg Forte 1) - UD LUG presentation - 5/8/**2002** ... A bridge is a **data link layer (layer 2)** device which listens for data frames on all interfaces and forwards them to the .... David Whitmarsh's "**bridging firewall**" guide. ...  
[www.lug.udel.edu/dokuwiki/doku.php?id=articles:bridging\\_firewall](#) - [Cached](#)

7. [\[Config\] pix 6.3 to 7.0 Page 2 - dslreports.com](#)

19 posts - 3 authors - Last post: Dec 19, 2007  
You have to put it inline at **Layer 2** without allowing an alternate .... one sample configuration of "bump in wire" or **Transparent firewall**. ...  
[www.dslreports.com/forum/r19526779-Config-pix-63-to-70~start=20](#)

8. [User Installed Network Equipment Policy](#)

28 Aug 15 October **2002**. I 1 . . Background ..... MAC - Media Access Control addresses, **data link** layer addresses, e.g., Ethernet addresses. ... It may be a **Layer 2** device or **bridging firewall**, or it may be a Layer 3 device and forward ...  
[www.net.berkeley.edu/policy../user\\_installed\\_netequip.html](#) - [Cached](#) - [Similar](#)

9. [ASA Transparent Mode Question - Topic Powered by Social Strata](#)

1 post - Last post: Jan 19  
SleepDirt. Wise, Aged Ars Veteran. Registered: February 03, **2002** ... Isn't this going to be a purely **Layer 2** transaction taking place out of ... So a **transparent firewall** is just a bridge that can inspect/block traffic. ...  
[episteme.arstechnica.com/evilforums/a/tpc/fi.../m/984001303041](#) - [Cached](#)

10. [Switch Virtual Interface for Cisco Integrated Services Routers ...](#)

Provides LAN extension between remote sites; SVI is used as the **Layer 2** tunnel termination point ... **Transparent Firewall** is only supported between a VLAN and WAN interfaces. .... Current configuration : **2002** bytes ...  
[www.cisco.com/.../prod\\_white\\_paper0900aecd8064c9f4.html](#) - [Cached](#) - [Similar](#)

("bridging firewall" OR "transparent firewall") AND ("data link" OR "layer 2") 2002

[Search within results](#) - [Language Tools](#) - [Search Help](#) - [Dissatisfied? Help us improve](#) - [Try Google Experimental](#)

---

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [Privacy](#) - [About Google](#)